759	Approved Stock Form—State Publishing Co., Helena, Montana—41921
le No259	County Carlow
OPLICATE	STATE OF MONTANA
ADMINI	STRATOR OF GROUNDWATER CODE
JAN 26 1968 OF	FIGE OF STATE ENGINEER
Dodaration	of Vested Groundwater Rights
	hāpter 237, Montana Session Laws, 1961)
Conduct of	
of Kand Warion Roya	of Route Malertan
have appropriated groundwater accord	ing to the Montana laws in effect prior to January 1, 1962, as follows:
N	
	2. The beneficial use on which the claims based.
	OSASMU MA DIVINA
	3. Date or approximate date of earliest beneficial use; and how contin
	ous the use has been 1944
, 5	Continuous una succe
	4. The amount of groundwater claimed (in miner's inches or gallo
\\\\\\\	per minute) 20 9 al Per quinte
<u> </u>	If used for irrigation, give the acreage and description of the lan to which water has been applied and name of the owner there
	Laure and ander
'All MEGAL M 2 D7 LL	
W1/4 N/ESec. 6 T 3 R.2. 4	
indicate point of appropriation and place of use, if possible. Each	<u> </u>
indicate point of appropriation	6. The means of withdrawing such water from the ground and the lo
indicate point of appropriation and place of use, if possible. Each	6. The means of withdrawing such water from the ground and the lo
indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.	6. The means of withdrawing such water from the ground and the lo tion of each well or other means of withdrawal.
indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. 7. The date of commencement and co	6. The means of withdrawing such water from the ground and the lo tion of each well or other means of withdrawal. Simpletion of the construction of the well, wells, or other works for withdrawal.
indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.	6. The means of withdrawing such water from the ground and the lo tion of each well or other means of withdrawal. Simpletion of the construction of the well, wells, or other works for withdrawal.
indicate point of appropriation and place of use, if possible. Each small square represents 10 acres. 7. The date of commencement and condrawal of groundwater	6. The means of withdrawing such water from the ground and the lo tion of each well or other means of withdrawal. Description of the construction of the well, wells, or other works for withdrawal.
7. The date of commencement and codrawal of groundwater	6. The means of withdrawing such water from the ground and the lo tion of each well or other means of withdrawal. Description of the construction of the well, wells, or other works for withdrawal.
7. The date of commencement and codrawal of groundwater	6. The means of withdrawing such water from the ground and the lotion of each well or other means of withdrawal. Impletion of the construction of the well, wells, or other works for withdrawal. It was a such as the general specifications of any otwater.
7. The date of commencement and codrawal of groundwater	6. The means of withdrawing such water from the ground and the lo tion of each well or other means of withdrawal. Impletion of the construction of the well, wells, or other works for withdrawal. It was a such a
7. The date of commencement and codrawal of groundwater	6. The means of withdrawing such water from the ground and the lotion of each well or other means of withdrawal. Impletion of the construction of the well, wells, or other works for withdrawal of the well, wells, or other works for withdrawal of the well, wells, or other works for withdrawal of the well of the general specifications of any otwater.
7. The date of commencement and codrawal of groundwater	6. The means of withdrawing such water from the ground and the lotton of each well or other means of withdrawal. Impletion of the construction of the well, wells, or other works for with type, size and depth of each well or the general specifications of any otwater.
7. The date of commencement and codrawal of groundwater	6. The means of withdrawing such water from the ground and the lotion of each well or other means of withdrawal. Impletion of the construction of the well, wells, or other works for withdrawal. Type, size and depth of each well or the general specifications of any otwater. Let a construct the general specifications of any otwater.
7. The date of commencement and codrawal of groundwater	6. The means of withdrawing such water from the ground and the lotion of each well or of the means of withdrawal. Impletion of the construction of the well, wells, or other works for withdrawal and depth of each well or the general specifications of any of water. Let withdrawn each year 5.5.0, 2000. In the drilling of each well if available.
7. The date of commencement and codrawal of groundwater	6. The means of withdrawing such water from the ground and the lotion of each well or other means of withdrawal. Impletion of the construction of the well, wells, or other works for withdraw and depth of each well or the general specifications of any otwater. The means of withdrawal and the lot the general specifications of withdrawal and the lot the general specifications of any otwater. The means of withdrawal and the lot the general specifications of any otwater. The means of withdrawal and the lot the general specifications of any otwater. The means of withdrawal and the lot the general specifications of any otwater. The means of withdrawal and the lot the general specifications of any otwater. The means of withdrawal and the lot the general specifications of any otwater. The means of withdrawal and the lot the general specifications of any otwater. The means of withdrawal and the lot the general specifications of any otwater. The means of withdrawal and the lot the general specifications of any otwater. The means of withdrawal and the lot the general specifications of any otwater. The means of withdrawal and the lot the general specifications of any otwater.
7. The date of commencement and codrawal of groundwater. 8. The depth of water table. 9. So far as it may be available the works for the withdrawal of groundwater. 10. The estimated amount of groundwater.	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Impletion of the construction of the well, wells, or other works for with type, size and depth of each well or the general specifications of any other water.
7. The date of commencement and codrawal of groundwater. 8. The depth of water table. 9. So far as it may be available the works for the withdrawal of groundwater. 10. The estimated amount of groundwater. 11. The log of formations encountered in the works for the withdrawal of groundwater.	6. The means of withdrawing such water from the ground and the lot tion of each well or other means of withdrawal. Impletion of the construction of the well, wells, or other works for withdrawn each water. If the means of withdrawing such water from the general specifications of any other works for withdrawn each year. 5.5.0, 000 In the drilling of each well if available. In nature as may be useful in carrying out the policy of this act, include
7. The date of commencement and codrawal of groundwater	6. The means of withdrawing such water from the ground and the lotion of each well or of the well, wells, or other works for withdrawal type, size and depth of each well or the general specifications of any of water. 1. Casing - 2.5 first depth of each well if available. 1. The means of withdrawal and the lot tion of each wells, or other works for withdrawal and depth of each well or the general specifications of any of water. 1. Casing - 2.5 first depth or the drilling of each well if available. 1. The means of withdrawal and the lot tion of the ground and the lot tion of the water works.
7. The date of commencement and codrawal of groundwater. 8. The depth of water table. 9. So far as it may be available the works for the withdrawal of groundwater. 10. The estimated amount of groundwater. 11. The log of formations encountered in the commencement and codrawal of groundwater.	6. The means of withdrawing such water from the ground and the lot tion of each well or other means of withdrawal. Impletion of the construction of the well, wells, or other works for withdrawn each water. If the means of withdrawing such water from the general specifications of any other works for withdrawn each year. 5.5.0, 000 In the drilling of each well if available. In nature as may be useful in carrying out the policy of this act, include
7. The date of commencement and codrawal of groundwater. 8. The depth of water table. 9. So far as it may be available the works for the withdrawal of groundwater. 10. The estimated amount of groundwater. 11. The log of formations encountered in the commencement and codrawal of groundwater.	6. The means of withdrawing such water from the ground and the lot tion of each well or other means of withdrawal. Simpletion of the construction of the well, wells, or other works for withdraw and depth of each well or the general specifications of any otwater. The means of withdrawal and the lot tion of each wells, or other works for withdraw and depth of each well or the general specifications of any otwater. The means of withdrawal and the lot tion of the well, wells, or other works for withdrawal and depth of each well or the general specifications of any otwater. The means of withdrawal and the lot tion of the well, wells, or other works for withdrawal and depth of each well or the general specifications of any otwater. The means of withdrawal and the lot tion of the well, wells, or other works for withdrawal and depth of each well or the general specifications of any otwater. The means of withdrawal and the lot tion of the well, wells, or other works for withdrawal and depth of each well or the general specifications of any otwater. The means of withdrawal and the lot tion of the well, wells, or other works for withdrawal and depth of each well or the general specifications of any otwater. The means of withdrawal and the lot the well, wells, or other works for withdrawal and the lot tion of the well, wells, or other works for withdrawal and the lot the well, wells, or other works for withdrawal and the lot the well, wells, or other works for withdrawal and the lot the well, wells, or other works for withdrawal and the lot the well, wells, or other works for withdrawal and the well, wells, or other works for withdrawal and the well, wells, or other works for withdrawal and the well or the general specification and the well of the well, wells, or other works for withdrawal and the well of the well, wells, or other works for withdrawal and the well of the well, wells, or other works for withdrawal and the well of the
7. The date of commencement and codrawal of groundwater. 8. The depth of water table. 9. So far as it may be available the works for the withdrawal of groundwater. 10. The estimated amount of groundwater. 11. The log of formations encountered in the commencement and codrawal of groundwater.	6. The means of withdrawing such water from the ground and the lotion of each well or other means of withdrawal. Simpletion of the construction of the well, wells, or other works for withdraw and depth of each well or the general specifications of any of water. Left type, size and depth of each well or the general specifications of any of water. Left type, size and depth of each well or the general specifications of any of water. Left type, size and depth of each well or the general specifications of any of water. Left type, size and depth of each well if available. Left type, size and depth of each well if available. Left type, size and depth of each well if available. Left type, size and depth of each well if available. Left type, size and depth of each well if available. Left type, size and depth of each well if available.
7. The date of commencement and codrawal of groundwater. 8. The depth of water table. 9. So far as it may be available the works for the withdrawal of groundwater. 10. The estimated amount of groundwater. 11. The log of formations encountered in the commencement and codrawal of groundwater.	6. The means of withdrawing such water from the ground and the lot tion of each well or other means of withdrawal. Impletion of the construction of the well, wells, or other works for withdraw and depth of each well or the general specifications of any other water. If the means of withdrawing such water from the ground and the local specification of the well or the general specifications of any other water. If the means of withdrawing such water from the ground and the local specification of the well or the wells, or other works for withdraw and depth of each well or the general specifications of any other water. If the means of withdrawing such water from the ground and the local specification of the well or the general specifications of any other water. If the means of withdrawing such water from the ground and the local specification of the well or the general specifications of any other water. If the means of withdrawal such as the policy of this act, including the policy of this act, include the policy of the policy

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 42,938

-4259

158798

OUNTY OF CARBON SS.

Office of the County Clerk & Recorder

I hereby certify that the within

Water filing was filed
for record in my office this 10 day

of 10c. A. D. 1963

at 2:45 o'clock P. M.

Attest my insulated the seal of said County

FRANK DANICHEK, COUNTY CLERK

Glark and Resorder,

Jony 3. Zujan Sepan

G

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE JUN 2.2 1973

Indicate the character, color, thick-montana water resources board

MONTANA DEPOSITION of streets such as soll, clay, sand, clay, sand, cravel, shale, sendstone, etc. Show

4.50	ICE OF COAPPROPRI	ATION	,	ANS OF		Rad Couser	VARIOH	depth	, shale, sandston at which water to which water	is found and
(Under (Chapter 237	Montana	Session L	aws, 1961,	, as amend	led)	Top of	Ground	(Elev. abo	ove sea level) 3300
which the Please ans	to be prepared with the well is local wer all questibe returned.	ted, last tions. If i	copy to b	e retained	by driller.	-	From (Feet)	Feet)	TUP 5014 Chan-ORA SANJAOR	10C4
					. •		-30	46.		
Owner Z	hilipt	No	e/ r	For Admi	nistrator's L	lea I			WATER	
Address	1, Boy	51	F:	le <i>1409</i> ;	188 749	9			20 945 P	e R PRIN
Silesi	a, Mox	T. 59	080	June.	21,197	3				
Date well	started 5	122/	<i>7.5</i> G	(/ W 1 <i>LQ</i> .		1				
con	npleted &	1241	7.3							
Type of w	eli 🕮			DR 11	S Ed	******				
Equipment	used C	4 3 1	<i>E</i>	urn drill, rotar		•••••				ه شاه کنید بینها امریا شدر بینها بناکه شدر پینها جدا
Water Use	: Domestic .	A Mu	nicipal 🔲			ion 🗌				
ind	lustrial 🔲	Drainage	: D Oth	ner □*	Garden/La	wn 🗀				
*Describe	2 bea	1800	m b	n11.56	hold	_				
USE: If us	sed for irrig	ation, in	dustrial, d	rainage or	other. E	xplain.			 	
state	number of	acres and	location o	or other da	ta (i.e. Lot,	Block				
	Addition)				•••••					
	D ANNUAL \			9600					 	
Size of Drilled Hole	Size and Weight of Casing	From (Feet)	(Feet)) 	PERFORATION					
650	65	0	46	Kind Size	From (Feet)	(Feet)				
	18.97			Cut	400	45		 	ļ	
				8	}			<u> </u>		
	1			}				 		
			{	1						
	N		* 	 	<u> </u>		=	├──	 	
	1		Be bas	c water le	vel	ft.				
			at .	ping water		per minute		<u> </u>	 	
•		}			lminutes af	ter pumpin	g	<u> </u>		
₩			E *Me	an. easured fro	m 'grou <u>n</u> d'	level.		 	 	
}				develope		166 B		T	Ţ 	
	†		tor Pow	er E120	hours. Z Pump	H	IP	+		
			Ren	narks: (Gra	vel packing	, cementing		Ţ		
	8		· · · · · · · · · · · · · · · · · · ·	kers, type o	Sine 4:	1556		+	 	
5 N	<u> </u>	c. 7	_ 0	Raws.L.	PAL	. £. w		 		
(5°3°	<u>N</u> R2 S	х.ж. <u>ь</u> 1	E C.4. W Kan	4.17. P.A.	LAB	131126 005				
INDICATE	LOCATION	OF WE	L AND P	ACE OF I						
EACH SN	VALL SQUAR	E REPRES	ENTS 40	ACRES.		B		1		
Driller's S	Signature	DI	RILL	1x 5	Ra	Jan	~	Ţ		
•			to our de			: ز ب سرس را		 	+	

Show exact depth of bottom

#1409 188749

TWILLIAM TO	Y UF CARREN 86.	
lesson of	the County Clurk	k Recorder
	I hereby certify the	d the within
One	equation_	was filed
ST	rd in my office this_	2/21 day
W 1004	Jun A	.D. 19 <u>73</u>
1-7	v. La o'clock 9	M.
	Auest my hand as	nd the seal of
inid C		4.5
	Deni E kin	KAPATTEL
₹ <u></u>	200 3 2 T	Бериг

		i san jawa i ja <u>abasa</u> DDC 100		a in the second	vast talles. 2			
GW 2				13				
File No	1.17-4				7 T	3 R	2.2	7-8
DUPLI		WATER RESOURCE	1) - 13.200	STATE	Coun OF MONT		ibon	
į.		JAN 26 1968	ADMINIST	RATOR O		IDWATER	CODE	
\$3	Top of Ground (Elev. above sea level	7 1900		of Compl	etion of	Ground	waier	
	Color and to see a second		management of the second of th	400	by Mean			
			(Under Cha	pter 237, 1	Montena S	ession Lav	vs, 1961)	
-	***	Owner	Phillip E.	Noel e	tua ddres	s Sileni	a. Monte	m.a.
		Driller			Addres	S	•••••	
# -			Notice of Appr			٠.	. A.	
			ell started				U	ago
_			wellbored (ed)			ı, drill, rot		
-		Water	Use: Domestic Industrial		nicipal [Stock Other		igation 🗌
			licate on the di					
		etc. Sho	ow depth at whi bearing strata as	ch water i	s encounte	red, thickn	ess and cha	aracter of
	.*	Size	Size and	From	To I			
 	100	of Drilled Hole	Weight of Casing	(Feet)	(Feet)	Rind Size	Prom (Feet)	To (Feet)
	; · · · · · · · · · · · · · · · · · · ·					Size	(reet)	(reet)
-]						j	
F				<u> </u>			<u> </u>	
-	N I		tatic Water Lev		_			
			hut-in Pressure umping Water I		-			
 			ischarge in gal,				•	٠.
_	W	E	low Tested					
-			emarks: (Grave					
		+					not at wel	ll, and any number of
-	8	n - et	acres i	rrigated, ii	f used for i	irrigation)	***************************************	**
Ė	J. J. 1/4 Sec 7. T. Indicate location of	well and	***************************************					······································
<u> </u>	place of use, if poss small square represent		*******************				,	
4,1	Lot No. 4 Show exact depth of bo	ttom.	• · · · · · · · · · · · · · · · · · · ·	•••••				
	Appropriators & C.			••		r's Licens	e Number	المعروبين المعروب
	Bonne 7	n. Toes	2	٠	Drille	r's Signat	ure	
ı	his form to be prepared by corder in the county in which	driller, and three the well is locat	e copies to be fi	led by the	owner wit	h the Cou	nty Clerk a	ınd Re-
	lease answer all questions. I		•	wise the fo	orm will b	e returned		
C	Original to the County Clerk	and Recorder;	duplicate to the	State Eng	ineer; Trip		4 4	
	nd Quadruplicate for the Ap						43,	516
		. was the first property for		gapari diberaha	Add David		و همانه و سال در است. در دود در	

COUNTY OF CARBON SS.

Office of the County Clerk & Record

I hereby certify that the withpropulin was file

record in my office this 2

_A. D. 19

raid County CLERK

* 2°=

Actionic 201

The control of the part of the object of the control of the control

we the second second and the second second with the

	\sim
File	No
וטם	PLICATE

MONTARIA WATER RESOURCES BOARD RECEIVED

FEB 18 1970

STATE OF MONTANA

	Man of Greens	ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER
0	Top of Ground	Notice of Completion of Groundwater
-	(Elev. above sea level	Appropriation by Means of Well
F 1	top soil	(Under Chapter 237, Montana Session Laws, 1961)
2		
+		Owner MULLIAM J. 1 SHORON A. HUYSER RATI BOX 15 + OWNER SILES IN MON F. SILES IN MON F. SILES IN MON F. SILES IN MON F.
-	SANdy-CLAY	Driller L - D - DRILL / NY Address BILLINGS MONT
		Date of Notice of Appropriation of Groundwater
15	SANDY-CLAY WATER	Date well started 19.1.10/169 Date Completed 12/1/169
-	SAND	Type of well DRILLEd Equipment Used ABLE (dug, driven, bored or (Churn, drill, rotary or drilled) other)
 -		Water Use: Domestic [Municipal [Other [Irrigation [Industrial [Drainage [Stock [N
24		
-	MAIN WATER SAND-GRAVEL	Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc.
	SAND- CRAVEL	Show depth at which water is encountered, thickness and character of water-
-	a server server	bearing strata and height to which water rises in the well.
<u> </u>		Size of Size and From To Drilled Weight of (Feet) (Feet)
-		Hole Caring Kind From To
29		6 6 0 29 34 34 27
127		194
-	(PRAVEL	
	<u> </u>	
-	и ,	Static Water Level for non-flowing Well. 19 feet.
		Shut-in Pressure for Flowing Well BAILER TEST 35 Pumping Water Level feet at 35 gal. per minute.
	1	Pumping Water Level feet at gal per minute.
		Discharge in gal. per min. of flowing well.
	W	How Tested BALLEIZ Length of Test 5 4125
<u> </u>		Remarks: (Gravel packing, cementing, packers, type of shutoff, loca-
+		tion of place of use of groundwater if not at well, and any other similar pertinent information, including number of
		acres irrigated, if used for irrigation)
-	SE 1/15W Sec. 18 / T. 3 R.	24 DDIVESHOE USED
F.	Indicate location of well place of use, if possible. E	and
-	small square represents 10 ac	res.
-	Show exact depth of bottom	17547 MUNT 188
***************************************	Doc. No.	77.5-4 Driller's Licens, Number
* & ad	Filed for record this	Sugarf Diner
	A. D. 19 70 , at 10.	10 Stor Lenger
To The	o'clockati.	Driller's Signature
	his form to be prepared by driller, as the county in which the well is loc	nd three copies to be filed by the owner with the County Clerk and Recorder ated.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

46182

#1268177547 CHTT UE PAREON SS. County Clerk & Records why nersify that the willis 10:10 A 5 × r A STAR CHEROLET 任 生 五 2

Page ___of_ GROUNDWATER INDEX County Carlon Twp. 45 Rge. 19E County Type of Form File No. Remarks Name of Appropriator Sec. 6W3 159500 158783 G 1961

		MARK 1		V _{nee}	
	The second of the real second of	11111	10	01 -	
	BEGRIVED		45 R C	96 - 7	ン
· · ·	100 9 5 1000	TT	R	schon -	- 1
GW 3 File No. 792	JA!! 36 1968	County	of		- 1
File No					
	STATE-	OF-MONTANA	ם מכותם		
	ADMINISTRATOR	STATE ENGINEE	R CODE		
	of Completion of Groun	water Appropr	iation Without We	11.	
Notice	of Completion of Grown	tone Socior	Laws. 1961)		
	(Under Chapter 237 M	1.90	Λ <u>- 1</u> -1		
Date of Appropriation	on 75 Foundater Louise	no Carbo Haled	Ged I	rela.	
Owner Lien, Kr	rute	Address	0) 440 8		
Owner		n one			
(1 1 1 ome)		. (0 - 0 -			
Contractor (if any)		none	,		
Address of Contract	or				
Mudicas or country	1900	Date Comp	leted 1900		
Date Started		Date Comp	Te 0en		
Date 01-1-1		_ 1914	of obtaining gro	uniwater withou	ıt
N N					
		a McLit as by	control death Co.	rater_when appli	icab le
		processes	nel tien den th Sta	iung	
	<u> </u>				
	E				
W					
				<u> </u>	
		mantity of w	ater developed an	d used with exp	Lana-
S	. 25 T4 R 19	tion of metho	d used to measure	or estimate si	icn
NW INE Sec	T R IS		oco ic intermituou	IO CONTINUOS WEL-	OXI-
= 11 at a modernt of	appropriation and	mate lengths	Star Brooks of Os	Homemake	
place of use, if po	esible.		sche donce	m. Runger	
brace or mae'in bo		100 34	3C12-60 CC01.CC		
			11	11	
			Linna a	Homes	-
	Signature	of Owner	Himan a		
	_				
		Date			
STATE OF MONTANA) .				
County of Carbon) SS•				
Coming to	••	first has	en duly sworn, der	ose and say	 .
	Ha Ha	Alug III 20 occ	the appropri	ator and claim	ant
that he	of lawful age and water right mentioned			שטוא וה החרדמו	ITTIAT OCT
of the order and	water right mentioned thout well and the per-	in the forego.	ame sub	scribed thereto	, as
appropriation Wi	thout well an the per-	on he	ame sub- know the conte	nts of said for	egoing
the appropriator	and claimant	therein state	d are true.		
notice and that	thout well are the per- and claimant the matters and things	Ulererii dudoc		Maria	
			ferman a	17 our	
\$ }		_			
: 1				10	
	sworn to before me, thi	.s de	ay of	, ¹⁷	
Subscribed and	PMOTH SO SCIOLO Was				
			otary Public for		
		N	otary Public for	dir. 0.0000 07 110	
		R	esiding at		
:		M	y Commission expi	res	
i		1.	J - Climina - 2 - 1 1		

#792

159500

COUNTY OF CARBON SS.

Office of the County Clerk & Recorde. I hereby certify that the within Oppropriation was filed for belond if my office this 3/ day 4:25 o'clock P. M. Attest my hand and the seal of FRANK DANICHEK, COUNTY CLERK

GW 3

Approved Stock Form-State Publishins Co., Helena, Montant 42262

T 45 R 19 E County Larlow

DUPLICATE

File No. 743

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE REGISTER

Notice of Co OMB CALLESTINGTON A COS RECEL ED JAN 26 1968 26 745 R/9E Indicate point and place of the Des Bec 31-1963

This form to be prepared by commetter (if say), etherwise by the ewner.

Three copies of this notice are to be filed with the County Clark and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder Conficate to the State Regimeer; Triplicate to the Montana Bureau of Mines and Geology and Conficate for the Appropriator.

42836

GW 3

File No. 743

DUPLICATE

Approved Stock Form—State Publishing Co., Heiena, Montage. 42262

T. #S. R. 19 E.

County Lawlow

OF MORTANA

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

_	Z., 20		lmut Carl	Mires. (absarok
JAN	26 1968	-	***		
		-			
				Date Compi	and Dece Bill
N N			en estados	groundwater dural process	TARREST
				7	
	26	Tak	val fl	ow s	prings
	X Inch				
×	3		marin a Miryan		
74	3 4				
×	×				
	E1/2 ALC 3		10.0	s of particle.	(1156
W. 1/2 9002	4. 7.22 R.Z.	= Ten	estock	only	

This form to be prepared by contractor (if say), otherwise by the ewner.

Three copies of this notice are to be filed with the County Clark and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: deplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadrapticate for the Appropriator.

STATE OF MONTANA, COUNTY OF CARRON SS.
Office of the County Clerk & Recorder
I hereby certify that the within was filed
for recording negative this 3/ day
ofdec) A. v. 19 63
u 2:07 o'clock P. M.
Attest my hand and the seal of said County FRANK DANICHEK, COUNTY CLERK
By Clin & Dever Deput
B - A 7 4 4

DUPLICAT				T_ h8 R 19F County Carbon
DUFLICAT		JAN 26	1968 STATE OF MONTANA	County MALMOII
		ADMINI	STRATOR OF GROUNDWA	ATER CODE
			OFFICE OF STATE ENGIN	
				—j A
Not	ice of Co	mpletion	of Groundwater App	ropriation Without Well
*				
		(Under C	hapter 237 Montana Session	1 Laws, 1961)
			n in den in den en e	
				Froundwater Dac. 9, 1963
			Owner SIGURD EGGEN	Address Absarokee, Mont
The second second			Contractor (if any)	
eren Marie eren eren eren eren eren eren eren e				Date Completed
	N		sub-irrigation and other	ng groundwater without a well "as by natural processes". Include depth to
			water when applicable	Flowing spring.
<u> </u>				
8 X				·
w			E	
			×	
				ed and used with explanation of meth
	8		od used to measure or est	imate such amount. If use is intermit
	. Sec 32 T		tent estimate approximate	e lengths of periods of use
Indicate p	ooint of ap of use, if p	propriation ossible	Stock wate	r all year
una pacc	and, p		***************************************	
				0 0
			Signature of Owner	round Coggen

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

COUNTY OF CARBON SS.

Office of the County Clerk & Recorder
I hereby certify that she within

Your Chart was filed
for record in my office this 9 day

of 2.45 o'clock P. M.

Allest my hand dust the seal of sald County Clerk

FRANK DANICHEK: COUNTY CLERK

Clerk and Remedie

F. 3.3

Form No. 18 8-60 STATE ENGINEER County CARBON MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana Water Well Log Address Absarokee, Mont. Owner Miller Bros. Driller B & H Drilling Address Fishtail, Mont. Date Completed 7-13-61 Date Started 7-10-61 _4 sec._ MWSW Location: Sec. 33 T. 48 R. 19E Drilled Churn Drill (Churn, drill, rotary, other) Type of well Equipment used___ (Dug, driven, bored, or drilled) Stock x Municipal Irrigation ___ Water use: Domestic Industrial Drainage Other_ Black Size 6 In. Casing: 2 ft. to 342 ft. Type Type____Size__ ft. to ft. Casing:____ ft, to ft. Casing: Type SizePerforated or screened: Ft. to ft. to ft. to ft. Type of screen or perforations_ Static water level, for non-flowing well: 20 Shut-in pressure, for flowing well: ____lb./sq. in. on:___ Pumping water level 38 feet at 25 gal. per min. How tested: Bailer Length of test One Hr. Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

 \bigcirc 33

			Log of Well
	Depth, From	feet To	Description of Material Drilled
	0	18	Top Soil
	18	23	Brown Clay
	23	31	Brown Sandstone
	<u>3</u> 1	36	Hard Gray Sandstone
1	36	54	Gray Sandstone (Water)
ļ	5l ₄	70	Gray Shale
	70	94	Gray Sandstone (Water)
	94	100	Gray Shale
-			
	 _		
	·		
		<u> </u>	
<u> </u>	<u> L</u>	1	

34

Form No. 18 8-60

Taking the service of

0	OCT.	E	ĺ	V	E	
	oor	3		19	61	

T. 4S R. 19E

STATE ENGINEER

County CARBON
No. 2

MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

Water Well Log

Owner HELMERT ARTHUN	dress Absarokee
Driller B & H Drilling	Address Fishtail, Mont.
Date Started 5-24-61	Date Completed 5-29-61
Location: Sec. 34 T. 48 R.	
Type of well Drilled Equipment u (Dug, driven, bored, or drilled) Water use: Domestic Municipal Stoc Industrial Drainage Othe	
Casing: 2 ft. to 36 ft. Type Bla	
Casing: 4 ft. to 60 ft. Type Galv.	Liner Size 5 in.
Casing:ft. toft. Type	Size
Perforated or screened: Ft. 42 to ft. 52.	Ft. to ft.
Type of screen or perforations	
Static water level, for non-flowing well: 22	feet.
Shut-in pressure, for flowing well:lb.	/sq. in. on:
Pumping water level 40 feet at 45?	•
How tested: Baler	
Length of test Two Hrs.	·
Remarks: (Gravel packing, cementing, packers, ty shut_off)	rpe of shut-off, depth of
All we could bale was 45 Gals Per Min 1	foot draw downs
(over)	
(2,00)	

Log of Well

Depth From	feet To .	Description of Material Drilled
0	20	Top Soil
20	30	Brown Clay
30	42	Gray Shale
<u> </u> 142	52	Gray San dstone (Water)
52	60	Gray Shale
-	-	
		·
		· · · · · · · · · · · · · · · · · · ·

Form No. 18 8-60

DECEIVED					
RECEIVE D	т	4 s	R	19E	
	County	CAT	RBON		
STATE ENGINEER	-		٠. T		

MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

Water Well Log

	• *
Owner HELMERT ARTHUN	Address Absarokee
Driller B & H Drilling	Address Fishtail, Mont.
Date Started 5-22-61	Date Completed 5-24-61
Location: Sec. 34 T. 48	R. 19E 4 sec. SE4NE4
Type of well Drilled Equipmen	t used Churn Drill
	(Churn, drill, rotary, other)
Water use: Domestic Municipal S	Stock X Irrigation
Industrial Drainage 0	ther
Casing: 2 ft. to 15 ft. Type	Black Size 6 in.
Casing: 2 ft. to 70 ft. Type Ga	lv. Liner Size 5 in.
Casing:ft. toft. Type	· -
Perforated or screened: Ft. 46 to ft. 58	
Type of screen or perforations Torch cuts.	
Static water level, for non-flowing well:	
Shut-in pressure, for flowing well:	
Pumping water level 52 feet at 1	2 gal. per min.
How tested: Baler	
Length of test One Hr.	
Remarks: (Gravel packing, cementing, packers shut-off)	, type or snut-orr, depth or
(over)	

Log of Well

<u> </u>		Log of Well
Depth. From	feet To	Description of Material Drilled
0	7	Top Soil
7	11	Brown Clay
11	31	Brown Sandstone 28ft. 1 Gal Per Min.
31	43	Gray Shale
143	60	Gray Sandstone 48-56 Water 11 Gals. Per Min.
60	70	Gray Shale
<u> </u>		
		•

County ______ Twp. 45 Rge. 20 E

_					
Г		•		County	
-	Sec.	Name of Appropriator	Type of Form	File No.	Remarks
H				 	
L	5	Wilbert Alma, Dethlefren	6W3	188068	
L	26	Atto Marshall	6W2	184157	
	26	K.L. Marlence	6W2	182 891	
Γ	26	Nadel Zucka	6W2	186348	
r	28	1 7 0 11	6424	159432	
ŀ		James 1. Milley			
ŀ	28	James Lucilly	6W3	159433	
-	<u> </u>	Herman H. Horness	GW4	1.59.579	
L	33	Herman A. Horness	6W4	159579	
Ĺ	29	Wains R. Joki	GW3	159577	
	35	Fish & Same Comission	6W2	185211	
I	36	Milder Mikkenson	6W2	180043	
ſ	36	Rochel te) allila	6W3	1.59285	
. 1	29	Waina R Coli	GW 4	159576	
4	ـــالــــ	warmer & fore	GW 7	1373 16	
ŀ			}	 	
-			<u> </u>	 	
-					
١					
l			<u> </u>		
				 	
			 		
					
-				_	
				1	
	ļ				
٠.			· ·	1	T
	 			 	
		 		 	-
	 	 		+	
٠.	<u> </u>				
	<u> </u>				
		<u> </u>			
	<u>L</u> .				
	T				
	<u> </u>	- <u> </u>			

GW 3

File No.

RECEIVED

T.4 So.

DUPLICATE

APR 12, 1973

County Carbon

STATE OF MONTANA DITANA DEPARTMENT OF NATIVE ROUNDWATER CODE

OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	:						Date of Appropriation of GroundwaterApril 9. 1973 Wilbur Dethlefsen and
							Owner Alma Dethlefsen, Address Joliet, Montana. husband and wife
							Contractor (if any)
							Address of Contractor
							Date Started April 1, 196@Date Completed November 15, 1971
			N	r			Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
i		_					water when applicable. Well drilled to depth of 20 feet
	-	╁┈		\vdash	+-		with water level generally at 16 feet, with 1/4 horse-
	\vdash	+		\vdash		+-	power electric pump with 3" casing supplying a one
W							inch pipe used for domestic use in home and stock
		-	-				water.
						1	المرين
			<u></u>	Hig	hway	21	Quantity of water developed and used with explanation of meth- od used to measure or estimate such amount. If use is intermit-
S	e\4 S E	≱ Se		-			
	dicate d plac						.Two and one-half hours per day of intermittent use.
Doc. No			188	306	8		
filed for this	911	day o					Willer Dethlesser
o'dock		-	I	.Y.Y.	<u> </u>	_	Signature of Owner alema Stochlefsen
							n . April 0 1022

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

ő

File No.....

20 Bast T 4 So. County Carbon,

DUPLICATE

61 R 1 z 1973

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Apprepriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater April 9, 1973 Wilbur Dethlefsen and Owner Alma Dethlefsen, Address Joliet, Montana. husband and wife Contractor (if any)
N W	Address of Contractor
SE. VSEV. Sec.5 T.4S. R.23E Indicate point of appropriation and place of use, if possible. Doc. No. 1394; 188068 Filed for record	water. Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-
this 94day of 14.05.1 A. O. 19-3 at 4:55 O'close P. M.	Signature of Owner Alema Shethleforn Date April 9, 1973.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

#1394 188068

Attent my hand and the seal of call to mid the middle of the call of the call

	Approved Stock Form-State Publishing Co., Helena, Montana 48557
REC	E IV E D Approved Stock Form-State Publishing Co., Helena, Montana 48557
No.	· · · · · · · · · · · · · · · · · · ·
DIORIN	Outley
LOGAOTIANA DEPA	AND CONSERVATION ADMINISTRATOR OF GROUNDWATER CODE
Top of Ground	STATE WATER CONSERVATION BOARD
(Elev. above sea level	Notice of Completion of Groundwater
0-15 Topsoil & clay	Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962
15–26 Brown Sandstone 26–46 Grey Shale	(Under Chapter 237 Montana Session Laws, 1961, as amended)
46-52 Sandy Shale 52-81 Nard Grey Sandstone	Owner Otto Marshall E Address Roberts, Mont.
81-150 Soft Grey Shele	
150-178 Grey Shale with stringers of sandstone (Wa	Driller R. S. H. Drilling Address Sishtail, Cont.
178-180 Hard Grey Sondston	Date of Notice of appropriation of groundwater
	Date well started 9/30/71 Date completed 10/7/71
1	Type of well Drilled Equipment used Rotany
	(Dug, driven, bored or drilled) (Churn drill, rotary or other Water use: Domestic A Municipal Stock I Irrigation
,	Industrial □ Drainage □ Other □
	Indicate on the diagram the character and thickness of the different strat met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Sho
	depth at which water is encountered, thickness and character of water-bearin strata and height to which the water rises in the well.
i	Size of Size and From To PERFORATIONS Ordied Weight (Feet) (Feet)
	Ordised Weight (Feet) (Feet) Kind From To Size (Feet) (Feet)
	6 3/4 6 5/8 18 ¹¹ 22 none
	5 5/8 45 Plastic 8- 180 3/16 160 175
	Koles
·]	
	N Static Water Level for non-flowing we
	25fec
Doc. No.#/338, 1841.52	2 Shut-in Pressure for Flowing Well
Filed for record this 28th day of March	Pumping Water Level
A. D. 19 72 , at 10:20	Discharge in gal, per min. of flowing we
o'clock M.	
· 1	How Tested Eailer
1	Length of Test. 2 hts. Remarks: (Gravel packing, cementing, packing)
	Comparad
	1/ 45 Soc 26 m 40. p 20% ers, type of shutoff
	Indicate location of well and steel casing
-	Lodicate location of well and place of use, if possible. Each small square represents 40
	Indicate location of well and place of use, if possible. Each
-	Indicate location of well and place of use, if possible. Each small square represents 40 acres. (Continue on reverse side
	Indicate location of well and place of use, if possible. Each small square represents 40 acres.
	Indicate location of well and place of use, if possible. Each small square represents 40 acres. (Continue on reverse side use of continue on reverse side use of continue on reverse side use of acres and location or other data (i.e.: Lot, Block and Adtion).
	Indicate location of well and place of use, if possible. Each small square represents 40 acres. (Continue on reverse side use. If used for irrigation, industrial, drainage or other. Explain, steen number of acres and location or other data (i.e.: Lot, Block and Ad
Show exact depth of bottom.	Indicate location of well and place of use, if possible. Each small square represents 40 acres. (Continue on reverse side use of continue on reverse side use of continue on reverse side use of acres and location or other data (i.e.: Lot, Block and Adtion).
Show exact depth of bottom.	Indicate location of well and place of use, if possible. Each small square represents 40 acres. (Continue on reverse side use of continue on reverse side use of continue on reverse side use of acres and location or other data (i.e.: Lot, Block and Adtion).

Office of County (Lerk & Recorder

Clerk wind Recorder

County (Lerk & Recorder

County (Lerk &

184157

#1338

taponolii Modeenell taponolii SC Dissentoli

and the property of the second of

Suggers, to extlately equal to select to said

Pantone Money from The Man

The charge in our per other of the large well.

the substitution of to ret retain stand

e N N

File No		WATER RESOURCE CEIVE	S EOARD				. 20 £	
DUPLIC	ATE O	CT 27 1971			and the second	ity. Carbo) /4	
	LOG	~ 1 & (19/]	ADMINISTR	STATE O			CODE	
	Top of Ground	•	STATE W	ATER C	onserv.	ATION BO	ARD	
1- 1	(Elev. above sea level	., Not	ice_of_C	omple	tion c	f Grou	ındwat	er
 -	0-14 Fop soil & clay		Appropri					
	14-23 Brown Sandstone		(2) (2) (2) (2) (2) (2)(3) (4) (2) (2) (2)(4) (4) (4) (2) (4)(5) (4) (4) (4)(6) (4) (4) (4)(7) (4) (4) (4)(8) (4) (4)<!--</td--><td></td><td></td><td>UARY 1,</td><td></td><td></td>			UARY 1,		
	23-37 Brown Shale	(Under	Chapter 237	Montana	Session	Laws, 1961	l, as amen	led)
	37=70 Grey Shale 70=85 Hard Grey Sandstone	OwnerK.	L. Marlane	ß	Addre	ss. Kt. 2	Billings,	front,
	85-156 Soft Grey Shale	Driller 88	H Drilling	3	Addre	ss Fishta	il, Ibnt.	J
-	156–170Grey Shale with san stringers (Vater)		e of appropri	etion of a	roundwat	er		
-	170-17? Gray Shale		rted 9/27/7	_				
-	€. * •	'						
-		Type of well (D	D rilled ug, driven, bore	d or drille	Equipm d)		Ko tary rn drill, rots	ry or oth
-		Water use:	Domesti	ie 🖰 M	unicipal [☐ Ste	ock 🔲 Ir	rigation
	,	Indicate	Industrie on the diagra		rainage [racter and	_	her 🔲	prent str
		met with in	drilling, such ch water is en	as soil, cl	ay, shale,	gravel, ro	ck or sand,	etc. Si
			eight to which					
-		Size of Drilled	Size and Weight	From (Feet)	To (Feet)		PERFORATION	15
-		Hole	of Casing			Kind Size	From (Feet)	To (Feet)
-		6 3/4	6/inch 18.97	1814	225	none		
h		5 5/8	45 Plastic	. 6-	177	3/16	155	170
		• 110	-5	J	}	Holes	127	1 170
		•						
<u> </u>	Doc. No. 1326		N	Si	atie Wa	ter Level	for non-fl	owing v
-	Filed for record	_		7				f
-	this <u>26</u> day of <u>0e4</u> A. D. 19 71, at 275	-					lowing We	
F 1	o'clockP_M.			P			el. <i>160</i> gal. per mi	
	·	W	26	T E D			min. of f	
		}					******	
				L 1				
_	1		s		_		king, ceme	
-		46 1/ 48 0==	26 T.45. R	20£ e1	s, type of	shutoff)!	Cevented	
-		Indicate loc	ation of well , if possible.	and de	unface p	ipe in.		
-	l l	small squa acres.	, ii possible. re represents	ъасп з 40				·····
 				*****		**************		
		***************************************				(Cont	tinue on re	everse s
	1	USE—If us numb	ed for irriga er of acres ar	tion, indu ad location	strial, di	rainage or	other. Ex	plain, s k and A
<u> </u> _	l	tion).	s for hones			\		
-	1			***********		***************	*****************	
L	Show exact depth of bottom.	***************************************		***************************************		******************		
177	ftm				No.	. 27		
County	m to be prepared by driller, and three c Clerk and Recorder in the county in whi					r's License	Number	
retained						, 1 /	// I #	

#1326

LINTY OF CAR SAN SS. I sorely certify that the within

said County

County Carbon



STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

MONTANA WATER RESOURCES BOARD

LOCATION OF LATTINGES OF STRATE SUCH as soil, clay, sand,

Gravel, shale, sandstone, etc. Show

APPROPRIATION BY MEANS OF WELL

LOCATION OF LOCATION O

s form t	hapter 237	**************************************	- 36221 0 U	LeW5, 1701,	es amen	naa)	top of	Ground	(Elev. above sea	level)
s Torm	. L	1 1	ما الماء				From			1 1 1 1 1 1
s form to be prepared by driller, and three copies to be filed the owner with the County Clerk and Recorder in the county in ich the well is located, last copy to be retained by driller.								To (Feet)		
the the	well is loca	ted, last	copy to b	e retained	by driller.		2	•	\$COMO \$ \$	
	ver all quest		not applic	able, so stat	e, otherwi	ise the	44	63	enci enci	500
may t	be returned.						-63	ASO	- sanda tone	
Mai	rold Fuel	***					740	175	aha le	
er muy	ASO LOG	<i></i>		For Admir	nistrator's	Use	175	135	andstone	
ress Of	estings.	MT.	,	ile# <i>1320</i>	1 1863	418	181	193	ehalo	
			1	_		1	183	130	eands tone	
	***************************************			Oct.24,19	122 Ji	1.50.00		 		
. 11 .	started9	4475								
well s	starteu9	erimen.		۱ ۷۷۶						۔ سخ سے ہیں سے سے ہے
com	pleted	74-72								
			-					-		
of we	.de.4.4.6	rd		o delven based						
		dame	(1)	g, anven, corea	or armed)			1		
4116111	used	T. C. 47. J	(0	hurn drill, rotar	y or other)					
r Use:	Domestic	□ Mu	unicipal [Stock 🐔		tion 🗀				
			_		- · · · •	·	 			
Indu	ustrial 🔲	Drainage	e 🗍 Ot	her 🗆*	Garden/La	ıwn 🗌		·		
cribe	••									
	ed for irrig									
state	number of	acres and	d location	arainage or or other da	other. t ta (i.e. Lot	xplain, Block	<u>-</u>	 _		
								 		
and A	Addition)	**********				*****				
MATED	ANNUAL V	VITHDRA	WAL	10,000						
										
ze of Tilled Tole	Size and Weight of Casing	From (Feet)	(Feet)	ļ	ERFORATIO	NS	<u> </u>	<u> </u>		
			Kind From To Size (Feet) (Feet)		To					
) Size	(Feet)	(Feet)]	 		
7/8	6 5/8	+2	19	3126	(Feet)	(Feet)				
7/8	6 5/8 18.97	+2	19	Size	(Feet)	(Feet)				
	18.97		-							
	18.97	-8	108	3/16"	+49	68				
	18.97	-8	-		+49					
	18.97	-8	-	3/16"	+49	68				
	18.97	-8	103	3/16" drttlad	40 168	68 183				
	18.97	-8	103	3/16" drt & Lod	\$3 168	68 183 45 ft.	_			
	18.97	-8	100 State	3/16" dritted	#3 158 //	68 183 45 ft.				
	18.97	-8	188 State Pur	3/16" drilled tic water lev nping water	758 158 /el	68 183 45 ft.				
	18.97	-8	State Purr at me bec	3/16" drilled tic water lev nping water	758 158 /el	68 183 45 ft.* 62 ft.* per minute				
	18.97	-8	State Pur at me beg	3/16" dritted tic water levenping water 182 assured 12221 gan. easured from	768 168 /el	45 ft.				
	18.97	-8	State Purr at me beg *M	3/16" dritted tic water level on ping water 12- 13- 13- 13- 13- 13- 13- 13- 13- 13- 13	relgallons am ground by a cit	45 ft.				
	18.97	-8	State Pur at me beg *M	3/16" dritted tic water leveloped assured from the developed assured from	/elgallons mainutes and by & a selhours.	45 ft. 92 ft. per minute fter pumping level.	,			
	18.97	-8	State Pur at me become *MW	3/16" dritted tic water level principle water 182 assured 182 gan. easured from the water 183 easured from the water 184 easured from the water 185 easured from the	rel	45 ft.				
	18.97	-8	State Pur at me beg *M We for Pov Rer	3/16" dritted tic water level principle water 182 assured 12222 gan. easured from the developed 3 wer.	rel	45 ft.* per minute fter pumping level.				
5/8	18.97	X	State Pur at me beg *M We for Pov Rer	3/16" drilled tic water leveloping water assured 7.37% and the developed 3 wer marks: (Grave	rel	45 ft.* per minute fter pumping level.				
5/8	18.97 46 plastic	X X	State Pur at me beg *M We for Pov Rer	3/16" drilled tic water leveloping water assured 7.37% and the developed 3 wer marks: (Grave	rel	45 ft.* per minute fter pumping level.				
5/8	18.97	X X	State Pur at me beg *M We for Pov Rer	3/16" drilled tic water leveloping water assured 7.37% and the developed 3 wer marks: (Grave	rel	45 ft.* per minute fter pumping level.				
s/8	18.97 46 plastic N N S N N R A	-8 X X	State Pur at me beg *M We for Pox Rer pac	ic water level price water lev	rel	45 ft.* 92 ft.* per minute fter pumping level. level. HIg, cementing				
S/8	N S S LOCATION	-8 X X Of Wei	State Pur at me beg *M We for Pox Rer pac	ic water level price water lev	rel	45 ft.* 92 ft.* per minute fter pumping level. level. HIg, cementing				
S/8	18.97 46 plastic N N S N N R A	-8 X X Of Wei	State Pur at me beg *M We for Pox Rer pac	ic water level price water lev	rel	45 ft.* 92 ft.* per minute fter pumping level. level. HIg, cementing				
S/8 S/8 AS ICATE ICATE ICH SMA	N P. ALL SQUARE	X X OF WEI	State Pur at me beg *M We for Pow Rer pac	sylic water level property of the sylic	rel	45 ft.* per minute fter pumping level. erca:				
SE VAS	N P. ALL SQUARE	X X OF WEI	State Pur at me beg *M We for Pow Rer pac	sylic water level property of the sylic	rel	45 ft.* per minute fter pumping level. erca:				
SE VAS	N P R R LOCATION ALL SQUARE	X X OF WEI	State Pur at me beg *M We for Pow Rer pac	sylic water level property of the sylic	rel	45 ft.* per minute fter pumping level. erca:		298		

#/370186348

in the sale of the sale of the south of the south of the sale of

Le No. 729 NONFARM ADMINISTRATOR OF GROUNDWATER CODE JAN 26 1368 TATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER Declaration of Vested Groundwater Rights (Under Chapter 237, Montana Session Laws, 1961) JAMES T. Dubby, of CARBON-ROBER To Gounty State of Montana have appropriated groundwater according to the Montana have appropriated groundwater according to the Montana Prior to January 1, 1962, as follows: 1. The beneficial use on which the claim HOUSE HOLD WO LINES TOCK E 3. Date or approximate date of earliest use; and how continuous the use has been	is based
JAN 26 1368 TATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER Declaration of Vested Groundwater Rights (Under Chapter 237, Montana Session Laws, 1961) TAMES T. Dubbey, of CARBON-ROBERTS Gounty of the Montana Session Laws, 1961) The beneficial use on which the claim state of prior to January 1, 1962, as follows: P. The beneficial use on which the claim states of the Montana Session Laws, 1962, as follows: 1. The beneficial use on which the claim states of the Montana Session Laws, 1961) 2. The beneficial use on which the claim states of the Montana Session Laws, 1961) 2. The beneficial use on which the claim states of the Montana Session Laws, 1961) 2. The beneficial use on which the claim states of the Montana Session Laws, 1961)	is based
Declaration of Vested Groundwater Rights (Under Chapter 237, Montana Session Laws, 1961) AMES T. Dubbey, of CARBON-ROBERTS Gounty of tate of Montana have appropriated groundwater according to the Montager prior to January 1, 1962, as follows: N. The beneficial use on which the claim House Hall and Lines Tock E. The beneficial use on which the claim House Hall and Lines Tock E. The beneficial use on which the claim House Hall and Lines Tock B. Date or approximate date of earliest use; and how continuous the use has been	is based
(Under Chapter 237, Montana Session Laws, 1961) LAMES T. Dubbey of CARBON-ROBERTS County of tate of MONTANA have appropriated groundwater according to the Montaffect prior to January 1, 1962, as follows: 1. The beneficial use on which the claim HOUSE HOID MO LINES TOCK 2. The beneficial use on which the claim HOUSE HOID MO LINES TOCK 2. Date or approximate date of earliest use; and how continuous the use has been	is based
P. The beneficial use on which the claim HOUSE HOUSE HOUSE TOCK E 3. Date or approximate date of earliest to use; and how continuous the use has been	is based
E 3. Date or approximate date of earliest use; and how continuous the use has been	is based
use; and how continuous the use has been	
	beneficial
1950 - CONTINOUS	
NE SW S 28 4 20 4. The amount of groundwater claimed (in Sec. T. R. inches or gallons per minute) 10 gal	miner's
6. If used for irrigation, give the acreage and description of the lands to w has been applied and name of the owner the land 1RR19ATION	hich water
7. The date of commencement and completion of the construction of the well, we other works for withdrawal of groundwater	ells, or
3. The depth of water table 50 Ff. 9. So far as it may be available, the type, size and depth of each well or the specifications of any other works for the withdrawal of groundwater 6	sing ne general 50Ff
10. The estimated amount of groundwater withdrawn each year 40000 gul	1
ll. The log of formations encountered in the drilling of each well if availate Not AVAIIAble	
12. Such other information of a similar nature as may be useful in carrying of this act, including reference to book and party of Many county record	
Date 12-31-63 Signature of Owner James T. Dus	dley
	V
STATE OF MONTANA,) County of Carbon) ss.	
Having first been duly sworn, depose and the appropriator and claimant crder and water right mentioned in the foregoing declaration of mested ground and the person whose name subscribed thereto, as the a and claimant, that he know the contents of said foregoing notice an matters and things therein stated are true.	of the water rights
Having first been duly sworn, depose and he of lawful age and the appropriator and claimant crder and water right mentioned in the foregoing declaration of mested ground and the person whose name subscribed thereto, as the a and claimant, that he know the contents of said foregoing notice an	of the water rights peropriator d that the
Having first been duly sworn, depose and he of lawful age and the appropriator and claimant crder and water right mentioned in the foregoing declaration of mested ground and the person whose name subscribed thereto, as the a and claimant, that he know the contents of said foregoing notice an matters and things therein stated are true. Subscribed and sworn to before me, this dary of	of the water rights peropriator d that the
Having first been duly sworn, depose and the appropriator and claimant crder and water right mentioned in the foregoing declaration of tested ground and the person whose name subscribed thereto, as the a and claimant, that he know the contents of said foregoing notice an matters and things therein stated are true.	of the water rights poropriator d that the

729 159432

Foo \$ 2.00

) Doz

HIGHTONIA AREAL TO AND THE HIGH RECEIVED CW 3 JAN 26 1958 File No. STATE OF MONTANA ADMINISTRATOR OF CROUNDWATER CODE OFFICE OF STATE ENGINEER Notice of Completion of Groundwater Appropriation Without Well (Under Chapter 237 Montana Session Laws, 1961) Address Man Cell Dt - Colembia Mai Contractor (if any) MONE Address of Contractor Date Completed Date Started Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable E Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use Indicate point of appropriation and place of use, if possible. Signature of Owner

STATE OF MONTANA County of Carbon

Having first been duly sworn, depose And any the appropriator and claimant that he of lawful age and the appropriator and claimant of the order and water right mentioned in the foregoing notice of completion at groundwater appropriation without well and the person whose name subscribed thereto, as the appropriator and claimant, that he know the contents of said foregoing notice and that the matters and things therein stated are true. Subscribed and sworn to before me, this _____ day of ____

> Notary Public for the State of Montana Residing at My Commission expires

159433

STATE OF MONTANA, COUNTY OF CARBON SS.

Office of the County Clerk & Recorder

I hereby certify that the withing the for recordin my office this 3' day of A.D. 1963

at 1:20 o'clock P. M.

Attest my hand and the seal of said County

FRANK DANICHEK, COUNTY CLERK

Charles and Recorder

my Alice County Depui

, G	-Helena Independent Record		
File	No. 87/1-17	ئد ت	C
	_		

T is South 20 East 33

DUPLICATE JAN 36 1968

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

	HERMAN A. HOINESS	of Red Lodge	
**********	(Name of Appropriator)	(Address)	(Town)
Cour	aty of Carbon	State of Montana	(2002)
have	e appropriated groundwater accor:	State of Montana ording to the Montana laws in effect prior	r to January 1, 1962, as fol-
П	N	2. The beneficial use on which the claim(1) and (2) Stock water.	m is based
	Sec. 28	Date or approximate date of earliest I tinuous the use has been(1)and.	peneficial use; and how con-
	(1) x = = = = = = = = = = = = = = = = = =		
	Sec., 33	4. The amount of groundwater claimed per minute) (1) 500 gallons per	(in miner's inches or gallons day, (2) same,
	s s	5. If used for irrigation, give the acre lands to which water has been appl	ied and name of the cwner
_	SWa Sec. 28	thereofNot applicable.	***************************************
2) NE ₄ N	Wa Sec.33 T.4S R.20E	•••••••••••••••••••••••••••••••••••••••	
and pla	e point of appropriation ace of use, if possible. nall square represents 10	6. The means of withdrawing such wat	er from the ground and the
cach sn acres.	nam square represents to	location of each well or other means	of withdrawal
acies.		(1) and (2) Natural flow into e	
8. The 9. So f	depth of water tableiar as it may be available, the tyer works for the withdrawal of	pe, size and depth of each well or the groundwater Not applicable.	eneral specifications of any

0. The	estimated amount of groundwa	iter withdrawn each year182,500 gal	lons (1) and (2).
1. The		n the drilling of each well if available	
******		Not applicable.	
•••••		nor application	
		nature as may be useful in carrying out th	
		Not applicable.	
•••••			
•••••		- 4	
•••••		- 4	lumana Homis
		Signature of Owner	Chuana Houses December 30, 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

OUNTY OF CARBON SS.

Ounty Of Carbon Clerk & RecordThereby certify that the within Aproproteon was fine Arboardin my office this 3/ da Del 1. D. 1963 7:04 o'clock P. M. Attest my hand and the seal condition of the seal conditions of the

2.00

िक्षित होते. अंतर्गाक्षित असी कि क्यानीय कर किस विवास अपने प्राप्त के क्षित होते.

	o mara da la Marata de Propinsia	in the control of the		
CW 3 File No. 869	REGELLL	D	T 4 R 18	
	JAN 26 19 58	TE OF MON	Pana	
	ADMINISTRATO			
Notice			Appropriation Without Wel Session Laws, 1961)	<u>.</u>
Date of Appropriatio	n of Groundwater	1	739	
Owner Warns	a Johi.	bbA	ress Red Godge	mont
Contractor (if any)	non		¥	
Address of Contracto	r			
Date Started		Dat	e Completed	
N N	4-4-4-	Describe a well "	means of obtaining groun as by sub-irrigation and	other natural
			s". Include depth to wat	
W	E		n Callle	
	1-1-1-1			
5		Quantity	of water developed and u	sed with explana-
	29 T4 R20	amount.	method used to measure or If use is intermittent of	estimate approxi-
Indicate point of applace of use, if poss			agths of periods of use	
	Signature	of Owner	Warno a. Jo	by!
,	44.6	Dai	Dec 31 1963	}
STATE OF MONTANA County of Carbon)) ss.			
•	Ha	ving firs	t been duly sworn, depose	and say
that he	of lawful age and ter right mentioned	in the Co	the appropriatoregoing notice of complet	r and claimant
appropriation witho the appropriator	ut well and the pers and claimant matters and things	on who	se name subscribe know the contents	bed thereto, as of said foregoing
Culturations and array	m to become me this		dor of	10
Subscribed and Swor	n to before me, this	· 	day of	1.7
			Notary Public for the S	
			Residing at My Commission expires	19

OUNTY OF CARBON SS.

Office of the County Clerk & Record.

I hereby certify that the white.

Akperspectation was filed for record in my affice this 31 day.

I ALL A.D. 19 3

Allest my hand and the seal of aid Conney.

FRANK DANICHEK, COUNTY CLERK

Office of d Recorder.

Allest To Street and County Clerk

2.00

010	ANGER PRESIDENCE BOAT	io e	TR	A 24
ile No. 868			County	
V.	JAN 26 1968 s	TATE OF MO RATOR OF G E-OF STATE	COMPANTER CODE	
minimum in a second	Declaration of (Under Chapter 2	Vested Gro 37, Montan	undwater Rights a Session Laws, 1961)	
1. Ways of State of he on to effect prior to Jan	have appr mary 1, 1962, as f	opriated g	Toundwater according to the	e Montana laws in
N			neficial use on which the court held use as	
	E	3. Date of use; and h	or approximate date of earling continuous the use has	iest beneficial been
Sec.	29 T. 4 R. 20		nount of groundwater claime gallons per minute)	
5. If used for imhas been applied a	rigation, give the	acreage and the contract of th	nd description of the lands	to which water
other means of wit	hdrawal P.	<i> </i>	ne ground and the location	
other works for wi	thdrawal of ground	water	the construction of the we	III, Wells, or
specifications of	ay be available, t	/ he type, s r the with	ize and depth of each well drawal of groundwater	or the general
- July W	IL X 1 AT ALLA	4. 		
10 The estimated	amount of groundw	ater withd	rawn each year	
			drilling of each well if a	vailable }
12. Such other in of this act, inclu	aformation of a slanding reference to	ilar natur book and p	re as may be useful in carryage of any county record	ying out the policy
Date		Signature	of Owner Warnes a	Jaki.
STATE OF MONTANA,) County of Car			C
and the person and claimant, t	whose name hat he know s therein stated a	the conte	t been duly sworn, depose the appropriator and clai- ing declaration of vested g subscribed thereto, as ents of said foregoing noti	the appropriator_ce and that the
Subscribed a	nd sworn to before	me, this	day of	, 29
	*		Notary Public for the Stat Residing at My Commission expires	

ALE OF MAN.

For Yor CARBON

Iffice of the County Clerk & Record.

Thereby certify that the within Appropriation was filed for recordin my rifice this 3 day of Let 4 D. 19 63 as 6:58 a clark P. M.

Attest my hand and the seal of FRANK DANICHEK, COUNTY CLERK

Cliff and Recordin.

Cliff and Recordin.

ا غ

PLICA		JUL 22 19/2				S. R		
	LOG RESOU	IA DEPARTMENT OF NA JRGES AND CONSERVAT	ADMINISTR	RATOR C	OF MONT	ANA IDWATER	CODE	
ەر ق	Top of Ground		ice of C		OTANTITE A.		11017	ar
3	(Elev. above sea level 4300		Appropri					51
۱ "	1-2 Gop Soil		DEVELO	PED AF	TER JAN	UARY 1, 1	962	1-98
a	3-17 Gravel & Sand		r Chapter 237					
- ,	17– 20 Soft Brown clay		e Gane Com					
_ '	y a co go was and	*	rilling				/ · · ·	
	20-56 Grey Shale thin la	yeus	se of appropri					
	of sandstone (Water on t of very hard shale) at		rted5/27,					
	of very hard shale) at			_				
ľ	56-69 Hard Grey Shale	Water use:	Domest Industri		Iunicipal [Drainage [ck □ Ir er □	rigation
	19–85 Grey shale with th	in met with in	on the diagradrilling, such	as soil, e	clay, shale	gravel, roc	k or sand,	etc. She
•	layers of sandstone.		ch water is er eight to which				cter of Wa	ver-negt]
ľ	85–90 Vary Hard Sh a ls	Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	I	REFORATION	
-		7 5/8				Kind Size	From (Feet)	Te
		6 inch	6 5/8 18.97	1*	41	None		}
			44 Plastic 200 psi.	10-	90	3 1/16 Holes	50 75	60 85
_			N		Static Wa	ter Level i	for non-fl	owing v
							!!	f
-		ענפי				essure for Fl Water Level		
	Doc. No.#1356 - 185 Filed for record	WX		E		g	_	
.				'	_	in gal. per	•	
-	this 2077 day of 200	20				عمدانشا د	Jest P	•
	this 20th day of July W. D. 19 72 at 10.20 o'clock 1. Me	20		1 '		. '4		
	this 2077 day of 1922. At 10.2	20	s		Length of	Test 4 <i>into</i> (Gravel pacl		
	this 2077 day of 1922. At 10.2	Indicate lo	35 T45. 1		Length of Remarks: ers, type o	Test. 4. Iv.a. (Gravel pacl f shutoff)	king, ceme	nting, pa
	this 2077 day of 1922. At 10.2	Indicate loc place of use		R 208.	Length of Remarks: ers, type o Drilled hole. The	Test. leta. (Gravel pack f shutoff) 33 ft wites en set pip	king, seme th tot ak se with	nting, pa 4 7 5/i cable
	this 2077 day of 1922. At 10.2	Indicate loc place of use	ation of well, if possible, re represent	R 20%.	Length of Remarks: ers, type o Drilled hole. The	Test # . hta. (Gravel pack f shutoff) 33 ft wi	th sotas os with	nting, pa 475/6 cable
	this 2077 day of 1922. At 10.2	Indicate loc place of use small squa acres.	ntion of well, if possible, re represent	R 20E.	Length of Remarks: ers, type o Drilled hole. The pole dra- pipe wit	Test 4 ht4. (Gravel pack f shutoff) 33 ft witer set pix se	th totat se with of sere	7 7 7/6
	this 2077 day of 1922. At 10.2	Indicate loc place of use small squa acres. •••••••••••• USE—If us numl	intion of well, if possible, re represent	R 20%. Il and Each ts 40 exface	Length of Remarks: ers, type o Drilled hole. The pola drain lustrial, d	Test 4 MAA. (Gravel pack f shutoff) 13 ft wit es set pix th 8 sacks	th totat se with of sere inue on ro other. Ex	75/6
	this 2077 day of 1922. At 10.2	Indicate loc place of use small squa acres. ••••••••••••••••••••••••••••••••••••	intion of well, if possible, re represent	R. 20%. Il and Each ts 40 unface ation, indind locati	Length of Remarks: ers, type o Dilled hole. The pole desire with lustrial, don or othe	Test de la	th totat ce with of core inue on re other. Ex Lot, Bloc	7 5/6 cobie everse si plain, si
	this 2077 day of 1922. At 10.2	Indicate local place of use small squa acres. Conserved USE—If us numl tion) This wel	action of well, if possible, re represent	R. 20%. Il and Each ts 40 unface ation, indind locati	Length of Remarks: ers, type o Dilled hole. The pole desire with lustrial, don or othe	Test de la	th totat ce with of core inue on re other. Ex Lot, Bloc	7 5/10 7
90 (1	Ahis 200 day of 102 da	Indicate local place of use small squa acres. Conserved USE—If us numl tion) This wel	action of well, if possible, re represent	R. 20%. Il and Each ts 40 unface ation, indind locati	Length of Remarks: ers, type o Deilled hole. The pole with district distric	Test de la	th totat ce with of core inue on re other. Ex Lot, Bloc	7 5/10 7

50,983

A CONTRACTOR OF THE CONTRACTOR

から、 できれて 1日 上海上

10.1

748778 B

The the field of the second second to the second second

entre.

Charles alberto TALL OF MUNICIPAL COUNTY OF CARONN Office of the County Clerk & Rocorder

I hereby certify that the within office this Menda signa decembri The second of th

* MONTANA WATER RESOURC

RECEIVE peg 8

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and

STA ADMINISTRATO MONTANA	D OF CP	JUNDWAI	ER CODE BOARD	PEQ 8	ł.	ness of	the C	OCIT US CO	etc. She	W	
OTICE OF COM	DISTION	OF GR	OUNDWA OF WELL	TER *		depth height	to which	h water r	ises in W	ell.	
der Chapter 237 Mo	ntana Soss	ion Laws,		nended)	Top of	Ground	<u> </u>	(Elev. abov	re sea level)		
					From (Fegi)	To (Feet)		-			
form to be prepared to owner with the Co	ounty Clerk	k and Rec	order in the	county in	0	Ŕ	401	1	rational production in the second contract of		-
e owner with the Control the well is located,	last copy	to be re	so state oth	erwise the	-5	25	100	un pund	- ere		- 35
n the well is located, e answer all question may be returned.	s. It not a	ippiicable,	50 Siale, Oil		25	45 -	192	e shale			- *
may be refurned.					1	160		A CONTRACTOR	tone		
er Mildred Milds	da	Fo	r Adminis	r's Use	1	195	Sile		Review de la communicación		
			1000-	13		-200		- shale	-hard-	-	
ress Bolince is . Max	tacon	File	Tom the	13,197	201	211	35	207 B	-10-101	107)	
		á	10 P	12	20	1			ACTA THE	rd	
				1	23		-		3615 ——	·	
well started	10,19	770 ∴GW)		25		1	ALC: NO PROPERTY OF	7 (2) (1)		
completed		17141		· ·	26		200	send of	70.00 Mg	1904	
completed					29	0		elule eardst	ome In	rd	
e of well	tellist.	One of	lven bor:		199	2 311	12.0	della			
		- /	in took	ied)	1		- 				
Roment used	Tra. 1891	(Chur	drill, rotal, av ot	her)	\						
/aterUse: Domestic [ipal 🗌	Stock 🔲	Irrigation L							
	_		mat Gara	den/Lawn 🗆			-+				
	Drainage [Office	r 🕦 Gard	den/caviii 🗀			_				
Trailer	Court				- - -						
escribe		estrial dr	-: or ot	her Explain.							
	ation, indu	strial, dri location or	-: or ot	her Explain.							
SE: If used for irrig	actes and .		ainage or of other data (her. Explain, i.e. Lot, Block							
SE: If used for irrig state number of a and Addition)			ainage or of other data (her. Explain, (i.e. Lot, Block							
SE: If used for irrig state number of a and Addition)			ainage or of other data (her. Explain, (i.e. Lot, Block							
SE: If used for irrig state number of a and Addition)	WITHDRAW	/AL	ainage or ot other data (her. Explain, (i.e. Lot, Block							
SE: If used for irrig state number of a and Addition)	WITHDRAW		einage or ot other data (her. Explain, (i.e. Lot, Block							
SE: If used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Size and Weight	WITHDRAW	/AL	ainage or ot other data (her. Explain, i.e. Lot, Block							
SE: If used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Drilled Weight of Cosing	WITHDRAW	/AL	einage or ot other data (her. Explain, (i.e. Lot, Block							
SE: if used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Drilled Weight of Cosing	WITHDRAW	/AL	einage or ot other data (her. Explain, (i.e. Lot, Block							
SE: if used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Drilled Weight of Cosing	WITHDRAW	/AL	einage or ot other data (her. Explain, (i.e. Lot, Block							
SE: If used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Drilled Weight of Cosing	WITHDRAW	/AL	einage or ot other data (her. Explain, (i.e. Lot, Block							
SE: If used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Drilled Weight of Cosing	WITHDRAW	/AL	einage or ot other data (her. Explain, (i.e. Lot, Block							
SE: If used for irrig state number of a and Addition) STIMATED ANNUAL \ Site of Drilled Role 8 1n Drilled Tools Drilled Role Dri	WITHDRAW	/AL	einage or of other data (her. Explain, (i.e. Lot, Block FORATIONS From (Feet) (F	To ceet)						
SE: If used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Drilled Weight of Cosing	WITHDRAW	/ALTo (Feet)	PER Klind Size	her. Explain, (i.e. Lot, Block FORATIONS From (Feet) (Feet)	To eeet)						
SE: If used for irrig state number of a and Addition) STIMATED ANNUAL \ Site of Drilled Role 8 1n Drilled Tools Drilled Role Dri	WITHDRAW	/AL To (Feet)	PER Klud Size	her. Explain, (i.e. Lot, Block FORATIONS From (Feet) 1 1 1 1 1 1 1 1 1 1 1 1 1	ft.*						
SE: If used for irrig state number of a and Addition) STIMATED ANNUAL \ Site of Drilled Role 8 1n Drilled Tools Drilled Role Dri	WITHDRAW	/AL To (Feet)	PER Klind Size	her. Explain, (i.e. Lot, Block FORATIONS From (Feet) (Feet) (Feet)	fr.*						
state number of and Addition) STIMATED ANNUAL \ Size of Drilled Hole 8 1n NUMBER Size and Weight of Casing	WITHDRAW	State Pure at meen to be a second control of the second control of	PER Kind Size	FORATIONS From (Feet) 132 level gallons per minutes after p	fr.* minute,						
SE: If used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Drilled Hole 8 in none N	WITHDRAW	State Pure at me bee	PER Klind Size ic water levenping water asuredr. gan.	FORATIONS From (Feet) 1	ft.*						
SE: If used for irrig state number of a and Addition) STIMATED ANNUAL \ Site of Drilled Role 8 1n Drilled Tools Drilled Role Dri	WITHDRAW	Staf Pur at me bev	ric water leven ping water asuredr. gan.	FORATIONS From (Feet) 132 level	ft.*						
SE: If used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Drilled Hole 8 in none N	WITHDRAW	Stat Pur at me bee *N We foo	received and sured from the sured fr	her. Explain, (i.e. Lot, Block FORATIONS From (Feet) (Feet) (Feet) level	ft.* ft.* minute, jumping						
SE: If used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Drilled Hole 8 in none N	WITHDRAW	Stat Pur at me be: *N We for	PER Kind Size Pic water levenping water assuredr gan. leasured from	her. Explain, (i.e. Lot, Block FORATIONS FORM FORM (Feet) I (fr.* fr.* minute, pumping						
SE: if used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Drilled Bole of Casing 8 in NOTE N	WITHDRAW	Stat Pur at me be: *N We for	PER Kind Size ric water levenping water assuredr gan. leasured from	FORATIONS FORATIONS From (Feet) I J Z level	fr.* fr.* minute, jumping						
SE: if used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Drilled Hole of Casing 8 1n 2000	WITHDRAW Prom (Feet)	State Pur at me bee *N We for Re parts	PER Kind Size Per Kind Size Acceptable or of other data (FORATIONS From (Feet) I J 2 level	ft.* minute, jumping						
SE: if used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Drilled Hole of Casing 8 1n 2000	WITHDRAW Prom (Feet)	State Pur at me bee *N We for Re parts	remarks: (Gravackers type of	FORATIONS FORATIONS From (Feet) I J Z level	ft.* minute, jumping						
SE: if used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Drilled Hole of Casing 8 1n 2000	WITHDRAW Prom (Feet)	State Pur at me bee *N We for Re parts	PER Kind Size Per Kind Size Acceptable or of other data (FORATIONS From (Feet) I J 2 level	ft.* minute, jumping						
SE: If used for irrig state number of and Addition) STIMATED ANNUAL \ Size of Drilled Bole Casing 1 1000 N N N N N N N N N N N N	WITHDRAW Pross (Feet) Sec3.6.	State Purate mee beek */W	ric water leven ping water assuredr gan. leasured from emarks: (Gravackers 'ype c	her. Explain, (i.e. Lot, Block FORATIONS From (Feet) (Fe	ft.*ft.* minute, pumping						
SE: If used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Prilled Hole 8 in NOTE N N N N N N N N N N N N N	WITHDRAW Prost (Feet) Sec34.	Staf Pur at me bee * N We for Re po	ric water leven ping water assured	her. Explain, (i.e. Lot, Block FORATIONS From (Feet) (Fe	ft.*ft.* minute, pumping						
SE: if used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Drilled Hole of Casing 8 1n 2000	WITHDRAW Prost (Feet) Sec34.	Staf Pur at me bee * N We for Re po	ric water leven ping water assured	her. Explain, (i.e. Lot, Block FORATIONS From (Feet) (Fe	ft.*ft.* minute, pumping						
SE: If used for irrig state number of a and Addition) STIMATED ANNUAL \ Size of Prilled Hole 8 in NOTE N N N N N N N N N N N N N	WITHDRAW Prom (Feet) Sec3.6. 2.0 ON OF WARE REPR	Staf Pur at me bee * N We for Re po	ric water leven ping water assured	her. Explain, (i.e. Lot, Block FORATIONS From (Feet) (Fe	ft.*ft.* minute, pumping						

4/29 4 10043

OUNTY OF GARBON SS.

Office of the County Clerk & Boorder Thereby certify that he within philosphia to be was filed records. my office this 1 day 1970 2.10 delock P. M. Attest my hand and the real of white wall

ile No. 594	NIAMA WATER RESOURCE	ES BOARD	T.4 S	20 E
UPLICATE	RECEIVE	U	Chanto	CARBON
UPMUATS	JAN 26 196	3	county	
		ALC: OF WAY	MATER CODE	
		1	4	
,		and the same		
Notice	of Comme	Carried Sand		
140/154			Arte Control	
Š		Comment of the State of the Sta		
	(Value Clare	* Same	all the second	
				12/30/63
		RACHEL VA	MITTAL STATE	Roberts, Montana
	•.			
			and the	
		No.	Date Com	
				100
	N	A STATE OF THE STA	groundwate	TOTAL BERNERA STREET, SO
		-	open springs	used for stock
		water. Gua	nity varies accor	ding to water supply
		Used from A	oril 1. to Octobe	r 15 according to
	3 6	THE PROPERTY OF THE PARTY OF THE PARTY.	oth unknown.	
*				
I				
····.		A CONTRACTOR OF THE PARTY OF TH	and the second second	The state of the s
خناء		***	to benefits of periods	
d 1/ 80	.36 T.L R 20	Onen souls		k water. Quanity
	t of eggrygaleties			
and place of	nee, id females.	varies.	sed from April 1	, to October 15 as
		available		
			D 10	2011/1

This form to be prepared by contained (if say), atherwise by the owner.

Three copies of this notice are to be that with the County Clark works are located.

Please answer all questions. If see the state, other Original to the County Clerk and Bureau of Mines and Geology as

				. 4 5	20 E
File No	19 DELLINE	VF	D	Т	R.
STAULITU		CEIVE		County	CARBON
	J	jan 26 😘	PARE OF WOMIANA		
				ATER CODE	
		Curr	OR OF STATE BEAUTY		
್. 'ವಿ		ى مۇلىد ئاماد ئىد		E Colombia	
No	otice of (Core	Contract of Automotive		printien
1			No transport		
**************************************		(Under Con	Pleasured on a		
					25
					12/30 / 6.1
			RACKEL THE	SHOW	Pahamba Hambana
			Owner,	Trees.	oberts, Montana
			Continues (12 mil)	ione	
				t Jane	ar water
			None		Bong
			ALTERNATION CONTRACTOR	Date Cout	mintan
	N			groundwate	r without a man !
	N T			groundwate	r without a part "as
	N		win sin oplan.	setural coces	without will "see". I have been been been been been been been be
	N		water Quant	groundwate satural rocci open springs y varies accor	used for stock
			water Quant	groundwate satural rocci open springs y varies accor	without will "see". I have been been been been been been been be
W	3 6		water Quant	groundwate satural rocci open springs y varies accor 1 1, to Octobe	used for stock
w			water. Quant t	groundwate satural rocci open springs y varies accor 1 1, to Octobe	used for stock
w			water. Quant t	groundwate satural rocci open springs y varies accor 1 1, to Octobe	used for stock
w			water. Quant t	groundwate satural rocci open springs y varies accor 1 1, to Octobe	used for stock
X	3 6		water. Quantu	groundwate satural coess open springs y varies accord 1 l, to Octobe unknown.	used for stock ding to water support 15 according to
X	3 6	ليحنسحات	water. Quant to Used from April supply. Depth	groundwate open springs varies accor 1 1, to Octobe unknown.	used for stock ding to water supp r 15 according to
X X	3 6	L R 20	water. Quant to Used from April supply. Depth	groundwate open springs varies accor 1 1, to Octobe unknown.	used for stock ding to water support 15 according to
Indicate	3 6	li R20	water. Quantus Used from April supply Depth	groundwate schural coess open springs y varies accord 1, to Octobe unknown.	used for stock ding to water supp r 15 according to
Indicate	3 6 Sec 36 T.	li R20	water. Quant to Used from April supply. Depth Open springs varies. Used	groundwate schural coess open springs y varies accord 1, to Octobe unknown.	used for stock ding to water supp r 15 according to
Indicate	3 6 Sec 36 T.	li R20	water. Quantus Used from April supply Depth	groundwate schural coess open springs y varies accord 1, to Octobe unknown.	used for stock ding to water supp r 15 according to
Indicate	3 6 Sec 36 T.	li R20	water. Quant to Used from April supply. Depth Open springs varies. Used	proundwater open springs varies according to Octobe unknown.	used for stock ding to water supp r 15 according to
Indicate	3 6 Sec 36 T.	li R20	water. Quant to Used from April supply. Depth Open springs varies. Used	patural cooper springs varies according to Octobe unknown. Let of period used for stock from April 1,	used for stock ding to water supp r 15 according to

This form to be prepared by contenctor (if any), stherwise by the owner.

Johnson L

Three copies of this notice are to be filled with the County Clerk and Recorder of the seasty in which the works are located.

Please answer all quantiens. If not applicable, so state, otherwise the form will seminate and

Original to the County Clerk and Beautier, distinct to the State Engineer, County Clerk and Coology and Contraction for the Appropriate.

STATE OF MONTANIA
Office of the County Clerk & Recorder
I hereby certify that the within was filed
in my office this 3.8 day
of A.D. 1963
ut 3:12 o'clock P. M. Attent my hand and the seal of
eaid County DANICHEK, COUNTY CLERK
Of and Recorder Departs
9 00

•			
v	age	OT.	
	.90	01	

County	Sealon	Twp.	45	Rge.	2/E

			County	
Sec.	Name of Appropriator	Type of Form	File No.	Remarks
1	Ole Leland	6W3	159356	
2	Mitchell Thomas	GW 3	159348	
2	Guston - Anderson	GW 3	158970	
.5	For by Marielania	GWA	179289	
7	Randal Rock	6W2	170037	
7	Rangeld 1). Hande	6W3	159330	
7	Thinto Krook	6w 3	159331	
9	Charles Deschumarher	6W3	159002	
11	Margit Andream	6W 3	158937	
11	George Everta	6W 3	158816	
12	Ludming Anderson	6W 3	165163	
12	Lucluita Anderson	6W 3	166020	
12	Luderia Anderson	6w \$	158939	
12	Luclairy Anches	6W 2	165162	
12	George Everta	6W2	158815	
12	Margit Andream	6W3	158936	
12	La Luis Anderson	6W 3	158838	
13	John Wukonich	6w 4	159.310	
13	Heloe & Norman Anderson		159328	
13	John Vukomich	6W-3	159311	
14	Willant + 7 low Schand	6W 3	159276	
12	Ray B. Brickman	6W.3	159329	
18	Latin dela Sancela	GW 3	159092	
19	Phil Karvonen	GW 3	159282	
21	Gordon Traweek	6W2	187421	
21	Edgar Gruel	6W3	159335	
21	Clarence Johnson	GW2	186043	
21	Edgar Grand	6w4	159334	
22	C Parence Johnson	GWB	181751	
23	Flora C. Schanck	6W4	1.59274	•
23	J. C. Faster	1961		
23		6W3	159380	
23	Carlon Countre Cottle	a GW2	179049	
	Carbon Counta Cattle Co		179048	
	Carbon County Cottle Co	1	179047	
24		6W2	179050	
24			159004	
25		6W2	183316	
2			159619	
25	Deschinnorber	6W2	159005	
25	McKimlet & Pauld Anches		159387	·
2		6W3	168762	
26	A alay Dovland	6W4	159393	
20	Adolf Howland	6w3		
2	Ant & John Krook	6W4	1.59278	
29		610.3	159034	
لسنسيك				

Ĩ	of Others	AND CONTRACTOR OF THE PROPERTY		County	
S	ec.	Name of Appropriator	Type of Form	File No.	Remarks
\vdash	4-1				
		Ruth B. Ruspell	6W4_	159036	
	30	Warno Mispala	1960	 	
عًا	30	Jean d. Mc Key	6W4	159035	
i	30	Werna t Vienna Wikhola	6W4	159584	
نا	30	Warms + Vienna Milekola	GW3	1.59.58.5	·- ·
<u> </u>	30	Jeand Me Hay	6W 3	159033	
1	3/4	Rachel Wallila	GW4	159607	
1	32	Merting Lauri Saarla	6W4	158930	
	32	P.W. Mac, Rat	6W3	159032	
٤	32	Merting Lauri Sagrela	6W3	158932	
L	33	Marie & Raymand Johnson	1-6W4	159147	
L	33	Mertine Laure Santela	6W3	15893/	
L	34	Elmere & Lila M. Janvi	6W2	159903	
	34	Elmert Lila M. Jawis	6W3	159902	
	35	Ruth & Robert Kelschull	6W4	159037	
	35	C.O. Bohnest	6W2	177019	
		Claire D. Bohnest	6W4	1.58923	
		Chycle Finley	GW2	180568	
Γ		e lair D. Bohnert	6W3	158925	
Γ					
Ĺ					
<u> </u>					
-				-	
t					
ŀ					
-			 		
ı			 		
1			†		<u> </u>
}			 	 	
}					
ŀ			 	 	
-			 		
}			-		
1			 		
-					
- {			 		
		 			
	<u> </u>				
		1			
	-	<u> </u>			
- 1		4			
3					

 $(\mathbf{w}_{\mathbf{w}}, \mathbf{w}_{\mathbf{w}}, \mathbf{$

ow;
File No 664
DUPLICATE

Approved Stock Form Staff Publishing Collicions Monthly (1962)

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation

JAN 26 1968		Dec 30-
	Date of Appropriation of Groundwe	. 보고 :
The second secon	Owner Leland A	idress foliat
	Contractor (if any)	
	Address of Contract	
	Date Starte: 1910	1910
N N	Describe to sub-irrige	u a well "as include depth
	Fratural flow	rspring
	7	
	i	
		, ,,,
X	Quantity of water de seed unsed to measure or established with	amount. If use is intermit
4	_ estimate approximate lengths of p	riods of use
W NW Sec 1 745 21	The control of the co	
Indicate point of appropriation	trarialle, li	vectock ex
and place of use, if possible.	and the second s	et.
•	many a warmen and a second and a	
	Signature of Owner	الميوندان الميكان المستريدة
	DIRECTOR OF CAREETING	100.30-176

Three copies of this notice are to we filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.



#664 159356

> COUNTY OF CARBON SS. Office of the County Clerk & Recorder I hereby certify that the within propriation was steel for record in my office this 30 day 6:10 o'clock P. Fra \$ 2.00

File No. 656

DUPLICATE

T_4_R_Z/ County_ConQ______

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

MONTANA WATER RESCURCES BOART	Date of Appropriation of Groundwater
RECEIVED	Own tolel the Address A list
IAN SA	OWINE
JAN 26 1968	Contractor (if any)
	Address of Contractor
	Date Started Date Completed 1920
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable
3	3 natural flow Springs
× ×	
w b	E #1- Pifed to tank
	21-7-7-3-
x-	
	Quantity of water developed and used with explanation of meth- od used to measure or estimate such amount. If use is intermit-
8	
4 Sec. 2 T. 4 R. 2	
Indicate point of appropriation and place of use, if possible.	Constant use for stock water
and place of use, it possible.	#1- 309 & Per hour Cont)
	#2-20 gas Perhour Cert)
	#3- 15 gal per Jour (est)
	Signature of Owner Witchell Choma
	Date 12-30-63
•	Date.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

OUNTY OF CARBON SS.

His of the County Clerk & Recorder

Thereby certify that the within

Charles was filed

ior record in my affice this 30 day

of 5.50 o'clock A.D. 1963

at 5.50 o'clock P.M.

Augst my hand and the seal of

and the seal of

Cart and Insuffler

Depute

Foor \$

File No. 345

DUPLICATE

Approved Stock Form-State Publishing Co., Helena, Montana-41337

County Carl on

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

Jt 26 1368	Date of Appropriation of Groundwater 1710 Owner Lintary Author Address Solist Contractor (if any) Many Construction
	Address of Contractor Columbus
	Date Started Date Completed 1252
	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable#/
Sec T R	# 2 6,000 g & Perday # 3 100 g & Perday

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

STATE OF MONTANA.

COUNTY OF CARBON

Office of the County Clerk & Recorde.

I hereby certify that the within

for record in my office this 20 day

of 11: TS o'clock 1:M:

Attest my hand and the seal of

PRANK DANIGHEK, COUNTY CLERK

PRANK DANIGHER, COUNTY CLERK



BRILLER'S LOG

Indicate the character, color, thickness of strata such as soll, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and

height to which water rises in well.

Top of Ground

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BEARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Seasion Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed

y the owner with the County Clerk ar which the well is located, last copy to	d Recorder in the county be retained by driller.	/ in	0	1811	TOP Soil	
lease answer all questions. If not appli		the _	142	50	SUMMING STATE	
orm may be returned.		1	20-	124	CAMICIAL AND ST	47%
En & Kayalanie					MATHER MARINE	_عث
owner Frank Kauzlane	For Administrator's Use				gally with wall	4
ddress	File 179289	-			all thurste	
Californbus; Franto	Leptember 2,	74201		-	47. 0 4.4254	
aliambus; manto	9.45 10	-				- 1
ate well started 8/27/70	CW I					
completed 8/31/20		<u></u>				
ype of well Dielel		[
quipment used Chursy A	oug, driven, bored or drilled)					
automent used Church	علن					
	(Churn drill, rotary or other)					
Water Use: Domestic 🗌 🛮 Municipal	🗌 Stock 💢 Irrigation	n 🖂 🕴				
to describe the Description of the	where Clark Cardon /	_ [
Industrial Drainage (Other * Garden/Lawr	'' L		<u> </u>	<u> </u>	
Describe	***************************************					
ISE: If used for irrigation, industrial,	drainage or other. Exc	olain,		1		
state number of acres and location	or other data (i.e. Lot, E	Block		<u> </u>		
and Addition),						
•				-	 	\dashv
STIMATED ANNUAL WITHDRAWAL	30,000			 -		
Wire of Size and From To						
Hole of Cashe	Kind From	(Foot)				
inch 65/8 18 4 94	Size (Feet)	(Post)				
men 280 7 1/2	2			-		┪
200	-			+		
41/2	65	75				
00 4- 124	1 7/6			↓		\dashv
Plate	\$16 65 Hales 104	114				
N	100000		:	 		
	tatic water level	2ft.*		<u> </u>		\Box
	umping water level	L	-			
a a	galloffs p	per minute	<u>'</u>	 		-
	neasured 79 minutes and	ounping	³ ·-	+		
w	Measured from ground le	evel.		T		
	Vell developed by Ba	iler				_1
[ordhours.		J			
	ower Pump					⊣
	Remarks: (Gravel packing, packers, type of shutoff) .		· -=-			
3		······································]
5E 14 5E 14 Sec. 5	***************************************		···	-		
T4.5 N R 31.6. E W	***************************************					
•	**************************************			+		
INDICATE LOCATION OF WELL AND		SSIBLE.				
EACH SMALL SQUARE REPRESENTS 4	11 1			T]
Driller's Signature	Haugan					
	9					
Driller's Address	************************************		I		,	
2 is l'Ent ma	t LICENSE NO 2	7	_/	24	Show exact depth of bot	ttom

Appropriation

of The County Clerk

I hereby certify

Or frequent is may affice time

of The o'clock

at The o'clock

at the standard and then will!

and found.

Attack my hand and then will!

0000

Teas 8_ 100

• • <u>1</u>

	~ 7
GW2	Approved Stock Form—State Publishing Co., Helena, Montana—45642
File No. 11.7-0	T T R
DUPLICATE	County County
LOG JAN	6 1268 STATE OF MONTANA
Top of Ground	ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER
	Notice of Completion of Groundwater
(Elev. above sea level	Appropriation by Means of Well
	DEVELOPED AFTER JANUARY 1, 1962
0-10 1t Top	(Under Chapter 237, Montana Session Laws, 1961)
	Sand Ranald Knock Address Bayd, mont
= 20-36 Franch + So	Driller Bot H Drilling Address 7 what must
see 14 they clay	Date of Notice of appropriation of groundwater
- Swall	Date well started 4/24/67 Date completed 4/26/67
50-55 11-	Dilled Oliver Oil
S. S	Type of well Equipment used (Churn drill, rotary or other)
	Water use: Domestic Municipal Stock Irrigation I
	Industrial ☐ Drainage ☐ Other ☐ Indicate on the diagram the character and thickness of the different strata
	met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing
* C I	strata and height to which the water rises in the well.
	Size of Size and From To PERFORATIONS Drilled Weight (Feet) (Feet)
	Hole of Casing Kind From To Size (Feet) (Feet)
	6 inch 6 3/8 1+ 40 NONE
	6 inch 6 3/8 1+ 40 NONE
1 -	
	!
· ·	N Static Water Level for non-flowing well
	feet.
· -	Shut-in Pressure for Flowing Well
· -	w gal, per minute.
	Discharge in gal. per min. of flowing well
\ <u>E</u>	Railes
	How Tested
<u>_</u> 1	s Remarks: (Gravel packing, cementing, pack-
- [ers type of shutoff)
	SE'4 SESec
-	place of use, if possible. Each small square represents 40
- - 1	acres.
- 	(Continue on reverse side)
-	USE-If used for irrigation, industrial, drainage or other. Explain, state
-	number of acres and location or other data (i.e.: Lot, Block and Addition).
Show exact depth of bottom.	
55 1t.	
	sonies to be filed by the surrou with the
This form to be prepared by driller, and three County Clerk and Recorder in the county in w	
retained by driller.	Ilad I Hangan
Picase answer all questions. If not applicab returned.	le, so state, otherwise the form will be Driller's Signature.

43,312